	Application No.	Applicant(s)
Notice of Allowability	10/700,436	HUANG
	Examiner	Art Unit
	Hilary Gutman	3612
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>1-6</u> .		
3. The drawings filed on are accepted by the Examiner.		
 4.		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/Paper No./Mail Date	6. ☐ Interview Summary Paper No./Mail Da 7. ☑ Examiner's Amend	ate Iment/Comment ent of Reasons for Allowance

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows: on page 1, line 14, "defining" has been deleted and --defines-- inserted therefore.

- 2. The following changes to the drawings have been approved by the examiner and agreed upon by applicant: in Figures 8 and 9, reference numbers 11-16, 21-24, 31-33, 42, 51-53, and numbers 511-512 and 531-532 have been deleted (see marked-up copy of Figures 8 and 9, hereto attached). In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.
- 3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hilary Gutman whose telephone number is 703-305-0496.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenn Dayoan can be reached on 703-308-3102. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/700,436

Art Unit: 3612

Page 3

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

D. GLENN DAYUAN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3600